

- (6) Kline, Morris. Mathematics in the Modern World. San Francisco: W.H. Freeman & Co. 1968. pp. 201-203.
- (7) Kramer, Edna. The Nature and Growth of Modern Mathematics. New York: Hawthorn Books, Inc. 1970. pp. 578-585, 592-599.
- (8) Miller, Franklin Jr. College Physics. New York: Harcourt, Brace & World, Inc. 1967. pp. 25-53, 57-74, 137-150.
- (9) Weider, Richard and Robert Sells. Elementary Classical Physics. Boston: Allyn & Bacon, Inc. 1965. Vol. I, pp. 49-71, 159-184.
- (10) Woods, Ralph. How to Torture Your Mind. New York: Funk & Wagnalls. 1969.

A THEOREM ABOUT NINES

*Jung-mee Kim
Fenwick High School Student
Middletown, OH 45042*

This theorem talks about the square of a number of 9's, such as 9^2 , 99^2 , 999^2 . If you punch a number for squaring in a calculator of more than five 9's, then it turns out as an expansion number [scientific notation]. Everybody knows $9^2 = 81$, $99^2 = 9801$, $999^2 = 998001$, but not many people know $9999999999^2 = 99999999980000000001$. It is easy to see the sequence. They just repeat 9,8,0,1. If n = the number of 9's, then the formula is $(n-1)$ 9's, 8, $(n-1)$ 0's, 1.

To prove $9999^2 = 99980001$: $9999^2 = (10000-1)^2 = 10000^2 - 2 \cdot 10000 + 1 = 100000000 - 20000 + 1 = 99980001$. Likewise: $(10^n - 1)^2 = 10^{2n} - 2 \cdot 10^n + 1 = \underbrace{10 \dots 0}_{2n \text{ zeros}} - \underbrace{20 \dots 0}_{n \text{ zeros}} + 1 = \underbrace{9 \dots 9}_{(n-1) \text{ 9's}} \underbrace{8 \ 0 \dots 0}_{n \text{ zeros}} + 1 = \underbrace{9 \dots 9}_{(n-1) \text{ 9's}} \underbrace{8 \ 0 \dots 0}_{(n-1) \text{ zeros}} 1$.

Teacher's note: Jung-mee Kim had been a student at Fenwick for a little more than a year when she discovered this theorem on her calculator. Although she has been using English for only a couple of years, her proof of the theorem shows that mathematics is a universal language.

Catherine Mulligan